



PRICE LISTING 09/16/2019

PC/104 CARDS:

PART NO.	DESCRIPTION	QUANTITY PRICING			
		1-9	10-24	25-99	100+
	20 bit delta-sigma isolated input A-D	257	206	195	186
4A24-2	* High speed 16 bit A-D 200KHz	257	206	195	186
4A24-5	* High speed 16 bit A-D 500KHz	314	251	239	227
4I20	24 output 48V/350 mA I/O	149	119	113	108
4I22	* Timer - I/O - 10 Mhz	158	126	120	114
4I23A	* Quad serial (4X RS-232)	134	107	102	97
4I23B	* Quad serial (2X RS-232+ 2X RS-422)	134	107	102	97
4I23C	* Quad serial (4X RS-422)	134	107	102	97
4I24	96 bit digital I/O (2X 50 pin)	166	132	120	111
4I24H	* 96 bit digital I/O (2X 50 pin) 24 mA	193	154	147	139
4I24I	* 96 bit digital I/O (ISO pinout)	166	133	120	111
4I24M	* 72 bit digital I/O (Module rack pinout)	166	133	120	111
4I27	* 2 axis motor controller (PWM)	291	233	221	210
4I28	* 4 axis motor controller (PWM)	561	449	426	405
4I30	* Quad Quadrature interface	199	159	151	144
4I32A	* Quad advanced serial (4X RS-232)	201	161	153	145
4I32B	* Quad advanced serial (2X RS-232 + 2X RS-422/485)	201	161	153	145
4I32C	* Quad advanced serial (4X RS-422/485)	201	161	153	145
4I34-1	* Anything I/O 64 bit 100k gate	204	172	155	147
4I34-2	* Anything I/O 64 bit 200k gate	227	190	173	164
4I34M-1	* Anything I/O 48 bit I/O module pinout 100k gate	204	172	155	147
4I34M-2	* Anything I/O 48 bit I/O module pinout 200k gate	227	190	173	164
4I36-1	Octal Quadrature interface - 100K FPGA	229	183	174	165
4I38-1	* Anything I/O 48 bit I/O module pinout 1M gate	275	220	209	199
4I38-1.5	* Anything I/O 48 bit I/O module pinout 1.5M gate	326	261	248	235
4I39	* Anything I/O 8 channel isolated RS-422 + 24 GPIO	299	239	227	216
4I61	PC104-PLUS 10/100 BaseT Ethernet	116	93	88	84
4I63A	* PC104-PLUS advanced serial (4X RS-232)	174	139	132	126
4I63B	* PC104-PLUS advanced serial (2X RS-232 + 2X RS-422/485)	174	139	132	126
4I63C	* PC104-PLUS advanced serial (4X RS-422/485)	174	139	132	126
4I64	PC104-PLUS - MiniPCI adapter	75	60	57	54
4I64-NFT	PC104-PLUS - MiniPCI adapter - (No PC/104 F/T Connector)	68	54	52	49
4I66	PC104-PLUS - 4 PORT MAC-HUB	199	159	151	144
4I67	PC104-PLUS Dual bridged Mini-PCI adapter	139	111	106	100
4I67-NFT	PC104-PLUS Dual bridged Mini-PCI adapter (No PC/104 F/T Connector)	132	106	100	95
4I71	PC104-Plus 8 port 100BaseT MAC-Switch	219	175	166	158
4I71-NFT	PC104-Plus 8 port 100BaseT MAC-Switch (No PC/104 F/T Connector)	212	170	161	153
4I71S	8 port 100BT Switch	212	170	161	153
4I71S-NFT	8 port 100BT Switch (No PC/104 F/T Connector)	206	165	157	149
4I73	PC104-PLUS to cabled PCI express bridge - Used with PCIE Cable	139	111	106	100
4I73-NFT	PC104-Plus to cabled PCI express bridge, ued with PCIE Cable (No PC/104 F/T Conn)	132	106	100	95



PRICE LISTING 09/16/2019

PCI/104 CARDS:

PART NO.	DESCRIPTION	QUANTITY PRICING			
		1-9	10-24	25-99	100+
4P20	PC104-PLUS 11 Watt POE power supply	119	95	90	86
4I65	PC104-PLUS Anything I/O - 72 I/O bits - 200K Spartan II FPGA	260	208	198	188
4I68-4	PCI/104 Anything I/O - 72 I/O bits - 400K Spartan 3 FPGA	260	208	198	188
4I69	PCI/104 Anything I/O - 72 I/O bits - LX16 Spartan 6 FPGA	260	208	198	188
4I69-25	PCI/104 Anything I/O - 72 I/O bits - LX25 Spartan 6 FPGA	275	220	209	199
4I69-AIN	4I69 8 channel analog input option	35	35	35	35
4I72	PCI/104 Quad MiniPCI bridge adapter	161	129	122	116
4I74	PCI/104 Octal quadrature counter with serial I/O	199	159	151	144
5I20	PCI Anything I/O - 72 I/O bits - 200K Spartan II FPGA	260	208	198	188
5I21	PCI Serial Anything I/O - 12 Full duplex RS-422 ports - 400K SP3	275	220	209	199
5I22-1	PCI Anything I/O - 96 I/O bits - 1M gate Spartan 3 FPGA	369	295	280	266
5I22-1.5	PCI Anything I/O - 96 I/O bits - 1.5M gate Spartan 3 FPGA	429	343	326	310
5I23	PCI Anything I/O - 72 I/O bits 400K gate Spartan 3 FPGA	260	208	198	188
5I24-16-LP	PCI Anything I/O - 72/ I/O bits LX16 Spartan6 FPGA Low profile	119	95	90	86
5I24-16-SP	PCI Anything I/O - 72/ I/O bits LX16 Spartan6 FPGA Standard profile	119	95	90	86
5I24-25-LP	PCI Anything I/O - 72/ I/O bits LX25 Spartan6 FPGA Low profile	139	111	106	100
5I24-25-SP	PCI Anything I/O - 72/ I/O bits LX25 Spartan6 FPGA Standard profile	139	111	106	100
5I25-LP	PCI Anything I/O - 34/ I/O bits LX9 Spartan6 FPGA Low profile	89	71	68	64
5I25-SP	PCI Anything I/O - 34/ I/O bits LX9 Spartan6 FPGA Standard profile	89	71	68	64
5I71	PCI to cabled PCIExpress bridge - Used with PCIe cable	113	90	86	82

ANYTHING I/O ACCESSORIES + MOTION CONTROL:

PART NO.	DESCRIPTION	QUANTITY PRICING			
		1-9	10-24	25-99	100+
THCAD-10	High isolation A-D, 10V	69	55	52	50
THCAD-5	High isolation A-D, 5V	69	55	52	50
THCAD-300	High isolation A-D, 300V	69	55	52	50
7I29	2 axis 20A 175V Hbridge for Anything I/O	299	239	227	216
7I30-4	4 axis 3A servo motor Hbridge for Anything I/O	89	71	68	64
7I31	Debug LED card - 24 LEDs + feedthrough for Anything I/O	35	28	27	25
7I32	2 axis 3A Microstepping stepper driver for Anything I/O	89	71	68	64
7I33	4 axis Analog servo amp interface for Anything I/O	69	55	52	50
7I33TA	4 axis Analog servo amp interface - terminal strip I/O for Anything I/O	79	63	60	57
7I34	8 channel RS-422/485 interface for Anything I/O	45	36	34	32
7I34-LVDS	8 channel LVDS interface for Anything I/O	45	36	34	32
7I37	16 in 8 out isolated driver for Anything I/O	69	55	52	50
7I37-COM	16 in 8 out isolated driver terminal I/O, Common VOUT+ and VIN-	79	63	60	57
7I37TA	16 in 8 out isolated driver terminal I/O for Anything I/O	79	63	60	57
7I39-HV	Dual 3 phase BLDC motor driver 5A 50V for Anything I/O	149	119	113	108
7I39-LV	Dual 3 phase BLDC motor driver 10A 30V for Anything I/O	149	119	113	108



ANYTHING I/O ACCESSORIES + MOTION CONTROL:

PART NO.	DESCRIPTION	QUANTITY PRICING			
		1-9	10-24	25-99	100+
7140-HV	Dual HBridge 7A 80V for Anything I/O	149	119	113	108
7140-LV	Dual HBridge 10A 40V for Anything I/O	149	119	113	108
7142	I/O protector for Anything I/O	35	28	27	25
7142TA	I/O protector terminal I/O for Anything I/O	45	36	34	32
7144	8 channel RS422/485 interface + RJ45 breakout	69	55	52	50
7146	6 channel SPI breakout	35	28	27	25
7147	12 channel motion oriented RS-422 breakout	69	55	52	50
7147S	8/12 Channel motion oriented RS-422 interface with analog out	79	63	60	57
7148	6 channel analog servo interface - quadrature encoder input	99	79	75	71
7149	6 channel analog servo interface - resolver input	184	147	140	133
7149HV	6 channel analog servo interface - resolver input 1:1 or higher ratio	184	147	140	133
7150	SPI to 24 TTL/I/O Module rack expander	45	36	34	32
7152	6 Encoder plus 6 RS-422 serial channel breakout	69	55	52	50
7152S	12 channel differential output + 6 channel encoder interface	69	55	52	50
7153	12 Encoder plus 2 RS-422 serial channel breakout	99	79	75	71
7164	24 in 24 out isolated I/O card remote real time I/O	198	158	150	143
7165	8 Axis analog servo interface - 16 bit DACs - 13 bit ADCs	279	223	212	201
7166-8	16 in 8 out isolated 10-32V input/output 2.5A remote real time I/O	79	63	60	57
7166-24	24 out isolated 10-32V 2.5A output remote real time I/O	119	95	90	86
7169	48 I/O TTL remote real time I/O	69	55	52	50
7170	48 input isolated 5-32V remote real time I/O	79	63	60	57
7171	48 output isolated 5-32V 300 mA remote real time I/O PNP	119	95	90	86
7172	48 output isolated 5-32V 300 mA remote real time I/O NPN	119	95	90	86
7173	Real time remote pendant controller LCD/keypad/encoder/analog	49	39	37	35
7174	8 channel RS422/485 interface + RJ45 breakout for 25 pin Anything I/O	69	55	52	50
7175	I/O protector terminal I/O for 25 pin Anything I/O	45	36	34	32
7176	5 Axis STEP / DIR - spindle - 48 isolated I/O for 25 pin Anything I/O	119	95	90	86
7176D	5 Axis STEP / DIR - spindle - 48 isolated I/O for 25 pin Anything I/O, sinking outputs	119	95	90	86
7176E	5 Axis STEP / DIR - spindle - 48 isolated I/O for Ethernet interface	199	159	151	144
7176ED	5 Axis STEP / DIR - spindle - 48 isolated I/O for Ethernet interface, sinking outputs	199	159	151	144
7177	6 axis analog servo interface - 48 isolated I/O for 25 pin Anything I/O	199	159	151	144
7177D	6 axis analog servo interface - 48 isolated I/O for 25 pin Anything I/O, sinking outputs	199	159	151	144
7177ISOL	Galvanic isolater for 7177 card	59	48	45	43
7178	4 axis STEP/DIR -spindle-SSerial expansion port for 25 pin Anything I/O	69	55	52	50
7183	Six channel 13 bit +-10V analog out remote isolated real time I/O	79	63	60	57
7184	32 in 16 out isolated 10-32V remote isolated real time I/O	79	63	60	57
7184D	32 in 16 out isolated 10-32V remote isolated real time I/O, sinking outputs	79	63	60	57
7185	4 channel encoder + 5 channel RS-422 for 25 pin Anything I/O	69	55	52	50
7185S	4 channel encoder + 5 channel STEP/DIR/PWM for 25 pin Anything I/O	69	55	52	50
7187	8 channel 12 bit +-10V analog in remote isolated real time I/O	99	79	75	71
7189	8 Channel encoder 1 channel Serial RS-422/RS-485 interface	89	71	68	64

IDE ADAPTER:

PART NO.	DESCRIPTION	QUANTITY PRICING			
		1-9	10-24	25-99	100+
CFADPTCS	Compact Flash - IDE adapter type 1 and 2 - Chant Sincere	20	20	20	20
CFADPTCS-3.3	Compact Flash - IDE adapter type 2 Chant Sincere, includes 3.3V voltage regulator	23	23	23	23
CFADPTHD	Dual Compact Flash to IDE adapter, use of 2 compact flash memory cards	50	40	38	36
CFADPT7-S	Compact Flash - IDE adapter - 2.5 harddrive footprint - single	25	25	25	25
CFADPT7-D	Dual Compact Flash - IDE adapter - 2.5 harddrive footprint - double	30	30	30	30
CFADPT9	Compact Flash - SATA adapter - minimum size	35	28	27	25
CFADPT10	Compact Flash - SATA adapter - 2.5 drive size	35	28	27	25



MESA ELECTRONICS
PRICE LISTING 09/16/2019

ANYTHING I/O ACCESSORIES + MOTION CONTROL:

PART NO.	DESCRIPTION	QUANTITY PRICING			
		1-9	10-24	25-99	100+
8I20	2200 W 400V 3 phase motor drive	239	191	182	173
SOFTDMC	Licence for SOFTDMC if not used with MESA cards	100	30	25	22

PLUG-N-GO KITS + IEEE1284 CABLES 6 FT + REQUEST "SP" OR "LP" FOR BRACKET:

PART NO.	DESCRIPTION	QUANTITY PRICING			
		1-9	10-24	25-99	100+
7176-5I25 PNG	Plug-N-Go Kit 5I25 + 7176 + IEEE1284 cable 6ft + SP or LP Bracket	208	166	158	150
7176D-5I25 PNG	Plug-N-Go Kit 5I25 + 7176D + IEEE1284 cable 6ft + SP or LP Bracket	208	166	158	150
7177-5I25 PNG	Plug-N-Go Kit 5I25 + 7177 + IEEE1284 cable 6ft + SP or LP Bracket	288	230	219	208
7177D-5I25 PNG	Plug-N-Go Kit 5I25 + 7177D + IEEE1284 cable 6ft + SP or LP Bracket	288	230	219	208
7178-5I25 PNG	Plug-N-Go Kit 5I25 + 7178 + IEEE1284 cable 6ft + SP or LP Bracket	158	126	120	114
7185-5I25 PNG	Plug-N-Go Kit 5I25 + 7185 + IEEE1284 cable 6ft + SP or LP Bracket	158	126	120	114
7185S-5I25 PNG	Plug-N-Go Kit 5I25 + 7185S + IEEE1284 cable 6ft + SP or LP Bracket	158	126	120	114
7176-6I25 PNG	Plug-N-Go Kit 6I25 + 7176 + IEEE1284 cable 6ft + SP or LP Bracket	228	182	173	165
7176D-6I25 PNG	Plug-N-Go Kit 6I25 + 7176D + IEEE1284 cable 6ft + SP or LP Bracket	228	182	173	165
7177-6I25 PNG	Plug-N-Go Kit 6I25 + 7177 + IEEE1284 cable 6ft + SP or LP Bracket	308	246	234	223
7177D-6I25 PNG	Plug-N-Go Kit 6I25 + 7177D + IEEE1284 cable 6ft + SP or LP Bracket	308	246	234	223
7178-6I25 PNG	Plug-N-Go Kit 6I25 + 7178 + IEEE1284 cable 6ft + SP or LP Bracket	178	142	135	129
7185-6I25 PNG	Plug-N-Go Kit 6I25 + 7185 + IEEE1284 cable 6ft + SP or LP Bracket	178	142	135	129
7185S-6I25 PNG	Plug-N-Go Kit 6I25 + 7185S + IEEE1284 cable 6ft + SP or LP Bracket	178	142	135	129

PCI EXPRESS CARDS:

PART NO.	DESCRIPTION	QUANTITY PRICING			
		1-9	10-24	25-99	100+
3X20-1	External PCIE Anything I/O 144 I/O bits 1M gate Spartan3 FPGA	377	302	287	272
3X20-2	External PCIE Anything I/O 144 I/O bits 2M gate Spartan3 FPGA	377	302	287	272
3X20-1-MB	External PCIE Anything I/O 144 I/O bits 1M gate Spartan3 FPGA MB	377	302	287	272
3X20-2-MB	External PCIE Anything I/O 144 I/O bits 2M gate Spartan3 FPGA MB	377	302	287	272
6I24-16-LP	PCIE Anything I/O - 72/ I/O bits LX16 Spartan6 FPGA Low profile	139	111	106	100
6I24-16-SP	PCIE Anything I/O - 72/ I/O bits LX16 Spartan6 FPGA Standard profile	139	111	106	100
6I24-25-LP	PCIE Anything I/O - 72/ I/O bits LX25 Spartan6 FPGA Low profile	159	127	121	115
6I24-25-SP	PCIE Anything I/O - 72/ I/O bits LX25 Spartan6 FPGA Standard profile	159	127	121	115
6I25-LP	PCIE Anything I/O - 34/ I/O bits LX9 Spartan6 FPGA Low profile	109	87	83	79
6I25-SP	PCIE Anything I/O - 34/ I/O bits LX9 Spartan6 FPGA Standard profile	109	87	83	79
6I71-LP	PCI Express to cabled PCI Express adapter Low profile	69	55	52	50
6I71-SP	PCI Express to cabled PCI Express adapter Standard profile	69	55	52	50
7I68	External 1 lane cabled PCIE Motherboard for 3X20	99	79	75	71

USB + SERIAL + ETHERNET ANYTHING I/O:

PART NO.	DESCRIPTION	QUANTITY PRICING			
		1-9	10-24	25-99	100+
7I43-U-4	Anything I/O USB/parallel - 400K FPGA - 48 I/O	99	79	75	71
7I60	Anything I/O Remote 96 bit - I/O module pinout 200k gate	258	206	196	186
7I61-16	Anything I/O USB/Parallel 96 bit - I/O module pinout SP6 LX16	229	183	174	165
7I61-25	Anything I/O USB/Parallel 96 bit - I/O module pinout SP6 LX25	260	208	198	188
7I80DB-16	Anything I/O Ethernet 4X DB25 I/O connectors SP6 LX16 68 I/O	149	119	113	108
7I80DB-25	Anything I/O Ethernet 4X DB25 I/O connectors SP6 LX25 68 I/O	169	135	128	122
7I80HD-16	Anything I/O Ethernet 3X HDR50 I/O connectors SP6 LX16 72 I/O	149	119	113	108
7I80HD-25	Anything I/O Ethernet 3X HDR50 I/O connectors SP6 LX25 72 I/O	169	135	128	122
7I90HD	Parallel/Serial/SPI Anything I/O card	59	48	45	44
7I92	Anything I/O Ethernet 1X DB25F IxHDR26 SP6 LX9 34 I/O	89	71	68	64
7I92H	Anything I/O Ethernet 2xHDR26 SP6 LX9 34 I/O	89	71	68	64
7I92M	Anything I/O Ethernet 1X DB25M IxHDR26 SP6 LX9 34 I/O	89	71	68	64
7I93	Anything I/O Ethernet 2xHDR50 SP6 LX9 48 I/O	89	71	68	64
7I94	Anything I/O Ethernet 8X RS-422/RS-485 1x HDR26 SP6 LX9 17 I/O	119	95	90	86
7I95	Anything I/O Ethernet 6 step/dir 6 enc 24 in 6 out 1x HDR26 SP6 LX9 17 I/O	249	199	189	180
7I96	Anything I/O Ethernet 5 step/dir 1 enc 11 in 6 out 1x HDR26 SP6 LX9 17 I/O	119	95	90	86
7I97	Anything I/O Ethernet 6 ana out 6 enc in 16 in 6 out 1x HDR26 SP6 LX9 17 I/O	279	223	212	201
7I98	Anything I/O Ethernet 3xHDR26 SP6 LX9 51 I/O	99	79	75	71



MESA ELECTRONICS
PRICE LISTING 09/16/2019

PAGE 5

ACCESSORY PRICE LIST

GENERIC ADAPTOR CABLES AND ACCESORIES:

PART NO.	DESCRIPTION	PRICE
BRACKET – LP	Low profile for 5I25 or 6I25	5
BRACKET – SP	Standard profile for 5I25 or 6I25	3
CAT5E-2	CAT5E cable for SSERIAL 2M RJ45 both ends for 7144/7174	5
CAT5E-4	CAT5E cable for SSERIAL 4M RJ45 both ends for 7144/7174	6
CAT5E-6	CAT5E cable for SSERIAL 6M RJ45 both ends for 7144/7174	8
CAT5E-1-TB6	CAT5E cable for SSERIAL 1M one end TB6 for 7176,7178	8
CAT5E-2-TB6	CAT5E cable for SSERIAL 2M one end TB6 for 7176,7178	8
CAT5E-4-TB6	CAT5E cable for SSERIAL 4M one end TB6 for 7176,7178	9
CAT5E-1-TB8	CAT5E cable for SSERIAL 1M one end TB8 for 7152,7153,7177	8
CAT5E-2-TB8	CAT5E cable for SSERIAL 2M one end TB8 for 7152,7153,7177	8
CAT5E-4-TB8	CAT5E cable for SSERIAL 4M one end TB8 for 7152,7153,7177	9
DB25F-IDC26 CABLE	DB25F to IDC26 with bracket for 5I25 and 6I25	5
DB25M-IDC26	DB25M TO IDC26 Flat Cable 18" Expansion connector cable for: 5I25,6I25,7176E,7192,7192M,7192H,7i96,7197, FPGA card 26 pin header to Mesa daughtercards with DB25F connector	10
DB25M-DB25M 6FT	DB25Mto DB25M IEEE 1284 compliant parallel port cable 6' length	10
DB25M-DB25M 10FT	DB25Mto DB25M IEEE 1284 compliant parallel port cable 10' length	15
DIN RAIL ADPT KIT (2 PCS.)	DIN rail adapter mounting bracket kit for Anything I/O daughter cards (set of 2 pcs.)	8
DIN RAIL ADPT KIT (3 PCS.)	DIN rail adapter mounting bracket kit for Anything I/O daughter cards (set of 3 pcs.)	12
IB-CBL-3M	Infiniband x1 Cable Assembly, 3.00m	57
PCIE-CBL-3M	PCIe x1 Cable Assembly, TDP, 3.00m	58
PCIEEXR	PCI express cable extender	35
PCIEEXS	PCI express cable extender	35
PTB8	Phoenix compatible 3.5 mm 8 position screw terminal block, side entry	2
PTB6	Phoenix compatible 3.5 mm 6 position screw terminal block, side entry	1
PTB2	Phoenix compatible 3.5 mm 2 position screw terminal block, side entry	1
PTB8V	Phoenix compatible 3.5 mm 8 position screw terminal block, top entry	2
PTB6V	Phoenix compatible 3.5 mm 6 position screw terminal block, top entry	2
PTB2V	Phoenix compatible 3.5 mm 2 position screw terminal block, top entry	1



MESA ELECTRONICS
PRICE LISTING 09/16/2019

ACCESSORY PRICE LIST

GENERIC ADAPTOR CABLES AND ACCESORIES:

PART NO.	DESCRIPTION	QUANTITY PRICING	
		1-49	50+
JAEWB3F200VD1T	Connector, Receptacle, 200 P, .5mm receptacle verticle for the 6168 or 7168.	6	5

PART NO.	DESCRIPTION	PRICE
422ENC	1 channel RS-422 to TTL adapter	16
ENC422	1 channel TTL to RS-422 adapter	16
485ADPT	RS-232 to RS485 adaptor for 4I23 / 4C24 / 4I26/ Generic NOTE: RS232, Uses RTS for 485 xmit enable	24
ENCY	Encoder splitter/redriver	18
485X1	RS232 to quad RS422 interfaces on RJ45	10
4X422	NOTE: For 3C20, 8I20	35
AIO CABLE	50 conductor flat cable for Anything I/O cards NOTE: Price is for 1 foot cable, add \$1.00 for each additional foot	15 1
COMMX2	Common block for PWR and GND connections	8
EPP-M PARALLEL CABLE	26 conductor flat cable for 7I43.7I61 female header to DB25M 3 FT NOTE: Add \$1.00 for each additional foot	15 1
SPINX1	One channel isolated spindle control	24

ADAPTOR CARDS AND CABLES:

HD-DB ADPT	50 pin header to DB25 socket adapter	25
------------	--------------------------------------	----

BUS ADAPTORS:

104-AT	16 bit PC/104 to edgecard adaptor	40
PC104-PLUS-PCI	PC104-PLUS - PCI edgecard adaptor NOTE: Allows use of PC104-PLUS cards in standard PCI backplane	75
PCI-PC104-PLUS	PCI-PC104-PLUS adaptor NOTE: Allows use of standard PCI cards with PC104-PLUS CPU	75

NOTE: (*) ASTERISKS BEFORE THE ABOVE PART NUMBERS ARE SUBJECT TO AN NCNR MINIMUM QUANTITY LOT CHARGE

REQUEST FOR QUOTES, ADDITIONAL PRODUCT, MOQ, OPTIONAL FEES, NCNR, EMAIL; SALES@MESANET.COM

For large or OEM and Blanket schedule orders with quantities and dock dates for up to a year. Minimum lot quantity pricing on cards that are not in high demand for quantities at; 25, 50, or 100+. NCNR may apply. An estimated 15 week lead time or sooner, depending on the type of card or the availability of components.

For Industrial Temperature range (-40°C to +85°C) available on most PC/104 cards, minimum order quantities 50 to 100+, ADD suffix: (- I) after part number, add 20% as an additional fee per card. NCNR may apply depending on the type of card.

For Conformal Coating available on most PC/104 card, mininum quantity lot build for quantities 25, 50, and 100+. ADD suffix: (CC) after the part number. NCNR applies.

For custom designed boards, engineering fees plus quantity build added, NCNR applies, contact our Engineering department at email: tech@mesanet.com

Contact our Engineering department to quote for a custom designed cards at tech@mesanet.com, NCNR applies to the quantity build plus engineering fees

All PC104 cards are stack-through type. All prices FOB EL SOBRANTE California U.S. All prices are subject to change without notice.